

Work Hard, Play Hard: How Linking Rewards in Games to Prior Exercise Performance Improves Motivation and Exercise Intensity

Jan David Smeddinck^{a,*}, Marc Herrlich^b, Xiaoyi Wang^c, Guangtao Zhang^d,
Rainer Malaka^e

^aICSI Berkeley & TZI Digital Media Lab, 1947 Center Street, Berkeley, CA 94704, USA

^bUniv. of Kaiserslautern, Geb. 11/572, Paul-Ehrlich-Strae, 67663 Kaiserslautern, Germany

^cUniversity of Copenhagen, Universitetsparken 5, 2100 Copenhagen, 24, 5 sal, Denmark

^dHU Berlin, Unter den Linden 6, 10099 Berlin, Germany

^eTZI Digital Media Lab, University of Bremen, Bibliothekstraße 5, 28359 Bremen, Germany

Abstract

The concept of providing power-ups and other rewards to players in sedentary gaming sessions based on prior engagement in beneficial activities, such as exercising, has recently been explored under the term pervasive accumulated context exergames (PACE). Such games have less special requirements and may appeal to a broader audience than regular exergames. However, so far, little is known about the motivational potential and the impact on the targeted beneficial outcomes. To advance research on the potential of asynchronously linking physical exercises to games, we provide a discussion of related work and present a design space for further systematic exploration. Additionally, we present a study which indicates that linked rewards in gaming after an exercise session can lead to motivational benefits and to increased physical activity, when compared to playing a game that does not include such explicitly linked rewards after an exercise session.

Keywords: Exergames, Games for Health, Activity Tracking, Quantified Self, Player Experience, Motivation, Fitness

*Corresponding author

Email address: smeddinck@gmail.com (Jan David Smeddinck)

URL: www.smeddinck.com (Jan David Smeddinck)

Preprint submitted to Entertainment Computing

October 31, 2018

PREPRINT / MANUSCRIPT. Final version available online as:

J. D. Smeddinck, M. Herrlich, X. Wang, G. Zhang, and R. Malaka, "Work Hard, Play Hard: How Linking Rewards in Games to Prior Exercise Performance Improves Motivation and Exercise Intensity," Entertainment Computing, Oct. 2018.

<https://doi.org/10.1016/j.entcom.2018.10.001>

1. Introduction

Sedentary behavior and a lack of physical activity are major causes of health issues [1]. Motion-based games can be engaging and offer a host of tangible benefits in this regard. Be it as exergames, with a focus on fitness and joy in play and motion [2, 3], or as games for health with a focus on medical applications [4, 5], for example in the support of physiotherapy and rehabilitation [6, 7]. The benefits can be summarized as offering (1) motivation, (2) guidance for motion executions, and (3) objective analysis. However, these games have special requirements, such as specific sensors and devices, a suitable computing platform (e.g. console), space for moving around, time for setup and calibration, etc. that exceed the usual requirements for video games and are not always easy to meet. As noted by Stanley et al. [8], many of these requirements stem from the direct link of performing an exercise activity whilst playing a game. Social requirements, such as the willingness to expose ones physical abilities or even simply the willingness and ability to be physically active in the way required by a given exergame are further limiting factors. Notably, many current-generation consumer exergame systems face limited long-term adherence. This can likely be attributed to a mixture of novelty effects wearing off and users reaching the limits of the content provided in the games. Additionally, the dominant - and arguably for many preferred - style of playing video games is still playing while seated at a desk or on a couch. These challenges, together with the parallel growth of mobile connected consumer sensor devices (smartphones, fitness bands, smartwatches, glasses, etc.) and the emerging fitness tracking and quantified-self markets, form the basis for *pervasive accumulated context exergames* (PACE) [9, 8, 10].

PACE (cf. Figure 1 for a conceptual visualization) are an alternative approach to exergames where exercises can be performed at a different time than the actual gameplay while both activities are still linked with an overarching *action-reward structure*. For example: performing an afternoon run can be tracked, counting steps with an accelerometer and the step-count can later be



Figure 1: Data from tracked exercises provide the basis for rewards in pervasive accumulated context exergames; PACE are played asynchronously from the exercising and are controlled by standard input devices.

translated into a boost to the speed of ones avatar in a sedentary game. Despite being patently promising, the concept is relatively novel and while related research has found indications that the concept is meaningful to players [10], the impact of design choices such as the impact of activity-related rewards in
 35 the game on player experience and exercise performance to the best of our knowledge have not yet been studied in a controlled comparative manner.

In this paper we structure game design choices that require consideration when developing PACE as a form of *asynchronous exergames*. After presenting a sample PACE system we report results from a pre-study on the question whether
 40 the concept is perceived as meaningful, as well as results from a study which compared the impact on motivation and exercise performance when *playing a game that included rewards that were explicitly linked to the performance in prior exercise sessions* with the impact on motivation and exercise performance when *playing a game following an exercise session that did not include explicitly*
 45 *linked rewards*. This study addresses the research question whether designing in-game rewards that are explicitly linked to the prior activity provides benefits compared to simply providing ready-made games without further adjustments, i.e. using the games as a form of bulk reward instead of presenting scaled relative rewards in the game.

50 In the broader context of game user research and HCI this research con-

tributes to the areas of serious games and gamification [11], since PACE can be expanded to activities beyond exercising, such as education [12], household chores, completing tasks at work, and so on.

2. Background

55 2.1. Exergames & Challenges

Exercising as an element of playing video games has been explored since the appearance of specialized peripherals (e.g. dance-mats). Recent advances in multi-purpose tracking devices, such as the EyeToy, Wii-Mote, Kinect [13], or player tracking for room-scale virtual reality, have given rise to an explosion
60 of new developments ranging from pure entertainment to ambitious serious applications. Related work reports clear evidence for benefits with various target groups, such as obese children / adolescents [14], older adults [15], physiotherapy and rehabilitation patients [7], people living with Cerebral Palsy [16], Parkinsons disease [17], depression [18], and many more. Despite the positive outlook, such
65 motion-based games face challenges that arguably limit the sustained adoption and success. A number of these challenges have been noted by Stanley et. al [8]. We propose an extended selection and a structure including the following three classes:

Technical Challenges - which include necessary specific equipment such as
70 input-output / sensor devices that bring costs and a set of conditions for working properly [13]. The same applies for the gaming platform, which needs to function well together with the input-output / sensor device and in many cases should support various sizes and types of displays.

Environmental Challenges - Space [9] is required to perform motions and also
75 to provide a properly sized display. Motion-based games often require extra time for setup, and they also require extended periods of frequent use integrated into day-to-day activities and the respective environments, due to the nature of the adaptation of the human body to fitness workouts and the fact that persuasion (or behavior change) is often an incremental process [19].

80 *Social Challenges* - in many settings, the motion-based nature of exergames leads to differences regarding social aspects of the interaction when compared to traditional video games. For instance, when others are present, body-related self-consciousness may play a notable role [20]. This has been observed and studied in relation to exergames by Mueller et al. [21], who discuss resulting
85 balancing needs. The requirements for the design of games for health by Yim and Graham [22] also relate to this challenge for multiplayer and bystander situations, going so far as to suggest hiding players fitness levels and to avoid systemic barriers to grouping. Lastly, the sustained success and dominance of sedentary gaming indicates that – in many gameplay situations – players rather
90 enjoy a classic video gaming session on the couch or at their desk.

2.2. *Fitness Trackers & Quantified Self*

The development of new motion-based game enabling devices is related to the development of increasingly small and affordable tracking devices. Activity trackers are now common mainstream consumer products. Fitness bands,
95 rings, necklaces, watches, and also regular smartphones can feature multiple sensors that facilitate the recording of physical traces of various kinds of activities [23]. This is one aspect of the developments in the larger scheme of the *Internet of Things* [24] termed *quantified-self*, or *lived informatics* [25]. Earlier studies on comparatively simple digitally supported feedback mechanisms
100 in combination with digital tracking devices (e.g. PDA + heart rate belt [26]) show great promise in fostering exercise experience and adherence [27]. Omnipresent yet unobtrusive devices provide great potential for reflective learning [28] and can support persuasive approaches [29], since they are in many cases not encumbered by the *environmental challenges* noted for exergames. Online
105 platforms are currently built primarily for data presentation and information visualization, although some platforms also include gamification elements (such as badges and rewards) and social features. Patient-driven health care with quantified self-tracking is a looming trend [30]. While most studies in this area have focused on the effect of data tracking / quantified self without the im-

110 pact of additional motivation through linked games, first connections between
activity trackers and exergames have been implemented [31], especially with
smartphones as trackers (cf. *World of Workout* [32]). The focus of PACE, how-
ever, lies on the motivational potential of combining real gameplay mechanics
and spare-time activities that are rewarding in and of themselves, as opposed to
115 simply interacting with performance visualization and analysis interfaces that
may feature added gamification elements.

2.3. Pervasive Accumulated Context Exergames

Stanley et al. [9, 8, 10] provide a comprehensive overview of related work
on PACE, spanning from *(Multiplayer) Mobile Mixed Reality Games* (such as
120 *Pokémon GO*), over *Freegaming* [33], rewarding (playful) visualizations (such
as *Ubifit Garden* [34]), and mainstream commercial PACEs (e.g. *Foursquare* or
Run-Zombies, which offer asynchronous rewards, although the gameplay is still
synchronous), to scientific explorations such as *Neat-O games* [9]. The *Neat-*
O games are one of the first explicit explorations of the PACE space and the
125 accompanying study recorded first indications of resulting improved activity,
albeit not in a robust experimental setting [35]. Stanley et al. also present
design considerations with a focus on game design aspects that result from the
PACE concept when applied to complex games and report on a study with
a complex PACE featuring a modification of the game *Neverwinter Nights 2*
130 [8]. In their example, active behavior prior to a gaming session was rewarded
with tweaks to an in-game companion (pet), showing a rather deep and complex
integration with exercise elements. Stanley et al. found no significant differences
between different feedback groups when comparing different reminder strategies
regarding the physical performance while exercising and no interactions of player
135 type. They reason that they might have “stretched Huizingas magic circle to
the breaking point”, meaning that the mapping from activity to in-game effects
might not have been direct enough and that the results did not become apparent
immediately. In an earlier study they reported on indications that behavior can
be changed with the PACE approach [10]. However, a controlled laboratory

140 study regarding the impact of linked game rewards within the PACE approach
on motivation and exercise performance has not yet been reported.

2.4. *Extrinsic and Intrinsic Motivation*

It can be argued that offering either sessions of game play “as-is” or sessions
of game play with specifically linked power-ups as rewards for prior “serious”
145 activity, such as physical exercising, presents a form of extrinsic motivation
that does not only fall short of the potential of deeply integrating exercising
into the gameplay, as would be the case with regular exergames, but that might
also present the danger of undermining any intrinsic motivation [36]. However,
findings reported based on games that were played asynchronously but linked
150 to prior educational activities have shown improvements in performance [12],
hinting at the presence of buffer effects, such as a potential internalization of
the extrinsic motivation, which would mean that the rewards are not perceived
as controlling behavior [36].

3. Modeling Dimensions for PACE Design

155 In the following we introduce modeling dimensions for structuring the design
and discussion of PACE. The dimensions were derived from related work, as
discussed below, in combination with recurrent analysis of the iterative PACE
development process that led to the system described in section 5. It can be said
that typical contemporary exergames are *linked* with exercising in a *synchronous*
160 manner. A player observes a display device and the body is (partially) observed
by a sensor device. Movement translates into game control. We refer to these
games as (*synchronous*) exergames and argue that the link does not have to be
direct in all aspects.

3.1. *PACE as Asynchronous Exergames*

165 As an alternative to the metaphor of *pervasive accumulated context*, PACE
can also be described as *asynchronous exergames*, meaning games that have a
rewarding *link* between a game and some exercise(s), although exercising and

playing *do not happen at the same time*. Since exercise and gaming are tempo-
 rally uncoupled, both the exercise portion and the game design can vary much
 more independently than in synchronous exergames. Movements do not need
 to translate directly into game actions. Exercising can – in principle – be per-
 formed anywhere and at any time, depending much more on players personal
 preferences. This allows designers to avoid some of the challenges related to the
time aspect of the *environmental challenges* that can occur with synchronous
 exergames. Asynchronicity also brings the potential of easing the challenges
 around *space* requirements, since exercising can be done elsewhere. *Technical*
challenges can be eased because designers are free to include a wide variety of
 sensing / tracking techniques in their concepts [37] that do not need to func-
 tion as direct game-controllers. Lastly, *social challenges* can be eased, e.g. by
 performing the exercises individually in separate places, whilst still playing to-
 gether in a later game session, or vice versa. The central question with these
 potential advantages is *whether the intended motivational effects and behavioral*
/ functional improvements occur. If posed in relation to the effects known from
 synchronous exergames, the question more specifically would be *to which extent*
the effects bridge the disjunction between gameplay and exercising. This ques-
 tion is not only rooted in considerations about reasons for the lack of effects in
 the latest study by Stanley et. al [8], it is also rooted in psychological findings
 about motivation and the distance of rewards. Postponing immediate gratifica-
 tion while persisting in goal-directed behavior for the sake of later outcomes is a
 necessary skill for effective functioning as a human being [38] and yet discount-
 ing future outcomes due to their delayed availability underpins much of human
 decision making [39]. Furthermore, task interest is known to interact with ef-
 fects of delayed rewards on motivation [40]. Given a low task interest, more
 immediate rewards have been connected to more intrinsic motivation, although
 a high task interest may still trump those improvements even without any or
 with distant rewards. These findings can be connected to the aforementioned
 effect of external rewards undermining intrinsic motivation, if the task / purpose
 is not internalized [36]. Other related work, however, suggests that the influ-

ence of temporal distance between exercise and remote feedback on motivation
200 is negligible and comparable to supervised exercise sessions [41].

Altogether, the psychological evidence marks no clear suggestion; the desired
effects may or may not occur depending on the nature and perception of the
rewards. Related work does suggest that a detailed consideration of the manip-
ulated dimensions and the distance in relation to game design aspects (such as
205 the general system setup, task importance, personal traits and circumstances,
etc.) may play a decisive role. Further study is henceforth indicated.

3.2. Design Dimensions

PACE can be modeled or analyzed along a number of dimensions in con-
trast to regular exergames (cf. Table 1), allowing the formation of hypotheses
210 about how far disjunction might affect the (desired) outcomes in order to sup-
port a structured approach to further explorations on PACE. We employed
these dimensions to identify a promising combination of properties for further
investigation below.

The *distance* aspects largely represent continuous dimensions. Determining
215 the strength of motivational effects for certain ranges of distances marks a clear
path for further explorations. The considerations on *social* and *platform aspects*,
which are also implicitly discussed in recent work by Stanley et al. [9], represent
more discrete choices that designers have to make during PACE design. An
interesting lens including similar considerations is provided by the debate on
220 slap-on elements vs. deep integration in the area of gamification [42].

In the following sections we present a system that we designed to be posi-
tioned on a level of the dimensions that tests for the presence of effects under
notable distances, whilst adhering to the limitations imposed by a one-day lab-
oratory study (fixed low temporal and spatial distance). The study provides an
225 early sampling of the design dimensions, focusing on distances in a comparative
manner.

Dimension	Considerations
temporal distance (TD)	<p><i>How long can the exercising be temporally disjunct from the gaming activity?</i></p> <p><i>Can reminders extend this range?</i></p> <p><i>Does the acceptable temporal distance vary relative to exercising / gaming duration?</i></p>
spatial distance (SPD)	<p><i>How far can the exercising be spatially away from the point of gaming?</i></p> <p><i>Is a rather close setup hindering?</i></p> <p><i>Are there interaction effects with TD?</i></p>
conceptual distance (CD)	<p><i>How much can the exercise differ from the game activities? More precisely: Does the concept work better when (e.g.) running is mapped to increased avatar speed / endurance as compared to running improving item spawn-rates or purely cosmetic aspects?</i></p> <p><i>Reward types: Do tangible game-mechanical rewards lead to better results than in-game achievements?</i></p> <p><i>How should the exercise volume and intensity be mapped to the extent and intensity of rewards received in the linked game?</i></p>
social aspects (SA)	<p><i>Will the expected increased intrinsic motivation and exercise effort be observable in single player games?</i></p> <p><i>Will the effects be observable in different types of multiplayer designs, such as competitive / cooperative multiplayer?</i></p> <p><i>Could a non-parallel exercising session ease social stress in gaming pairs with heterogeneous fitness levels?</i></p>
platform aspects (PA)	<p><i>Which types of trackers can function with which types of gaming systems?</i></p> <p><i>Which types of activities can function with which types of games?</i></p> <p><i>Can there be an interactive integration with an existing visualization and analysis interface for activity trackers?</i></p> <p><i>Can there be an interactive integration with existing cross-game reward and achievement systems?</i></p>

Table 1: Dimensions for structuring explorations on PACE.

4. Explorative Pre-Study

In order to explore the intuitive perception of the concept of PACE and to inform the design of our system, we conducted a pre-study with seven student subjects (3 female, 4 male) from Bremen, Germany who were introduced to the concept and then participated in a semi-structured interview lasting about 20 minutes. The script included both close-ended and open-ended questions. In addition to the participants thoughts about the connection of physical activities with games, we also collected biographical data, as well as information about physical activity and exercising behavior.

The average age of the participants was 26.6 years and they performed roughly one hour of medium to strong intensity exercising spread out over 2.5 sessions per week. Favorite sports include cycling, jogging, swimming, and yoga. Most participants indicated that they would *not be willing to do sports in which they have no interest in exchange for a reward in a linked exergame*. The participants prefer AAA quality games and six out of seven noted that they usually prefer (collaborative) multiplayer games. Compared to male participants, female participants reported more frequently to focus more on the appearance of characters and accessories in games as attractive reward types for the concept of PACE. Considerations by participants relating to such rewards included social context and psychological aspects, informing the above-mentioned categories. Since performing sports and gaming are not one-off events in the daily life of our subjects, *“how to motivate people to engage in both activities in a long run”* appears as an important issue to them. Participants noted that long-term reward mechanics should be introduced to the game in order to motivate people continuously. Moreover, they remarked that in-game rewards should not be achieved too easily. Thus, setting well-balanced minimum achievement thresholds for each reward is an important consideration. Participants noted that the type and the extent of the reward should be clearly communicated (e.g. before actual gameplay starts), instead of suddenly getting rewarded during play. Some participants suggested that the game mechanical rewards should

be controllable, meaning that players should be able to decide when to use a reward (e.g. as a power-up). In addition, the participants' utterances suggested that social context is another dimension of game rewards. All of them like to share their achievements in both physical activities and game play with families, friends, and in other social communities. Such reward sharing mechanics not only help them to feel that they gain reputation, but can also increase social connectedness, which might, in turn motivate further exercising. These interviews informed the generation of the above-mentioned design dimensions as well as the design process for the PACE system that is described in the following section.

5. The Tune PACE System

To avoid substantial learning periods, and to support a clearly visible mapping between exercise performance and power-ups as in-game rewards, we aimed to create a PACE with a game and linked exercises that are easy to learn, accessible, and easy to perform in a lab setting. We thus opted for the straightforward combination of *stationary cycling* and a simple side-scrolling *platform game*.

Stationary cycling was chosen as an exercise since cycling is very popular, comparatively safe, known to be associated with positive effects on health, and since our pre-study informed us that all study participants were used to at least infrequent cycling. Furthermore, we aimed for a single-session study setup with controlled conditions and controlling the experience would have been much more difficult using outdoor activities. Tracking exertion and exercise effort can be done reliably when exercising on a stationary bicycle. The ergometer featured an LCD display showing real time data including *time*, *approximate energy expenditure* (in kilojoules), *distance* (km), *speed* (km/h) and *power* (watts). The seat height was adjusted for each participant. While cycling, the participants *heart rate* (HR) was tracked with a belt that was linked to a mobile device (display out of sight).

A side-scrolling platform (*jump'n'run*) game was developed for the study




Figure 2: Screenshot of the game Tune.

to assure full control over all aspects of the software. We designed a PACE version *with linked rewards* and a version of the game *without linked rewards* that otherwise remained the same. The game features *time* and *health* as the two major resources and contains a classic selection of *obstacles* (walls, gaps, moving / elevated platforms, disappearing floor, gaps for sliding) and *enemies* (approaching rockets, creeping alien snails, an alien in a UFO that trails the player to enforce moving forwards for better experimental comparability). The game mechanics are thus closely aligned with classic jump'n'run games, such as *Super Mario*, differing merely in the selection of obstacles and distinct player actions (aside from regular movements, such as jumping and running). The game also features a badge as an additional cosmetic reward for the exercise effort and a display of the remaining power-up called *super run time* (SRT). A selection of these game elements can be seen in Figure 2. The game was designed to be played with a gamepad controller (optimized for an MS XBOX 360 controller), using the directional pad for moving the player character left and right, while employing one button for jumping actions, one for crouching, one for sliding, as well as a trigger button for controlling the speedup function. In order to assure comparability across subjects, the game was designed to avoid complete failure: Contact with enemies hurts the player, but does not kill the player character (however, the scoring system still rewards players for avoiding collisions with enemies). Falling down from a platform or losing health results



Figure 3: Top: Screenshot of the award screen for the *linked condition*, presenting information on the achieved badges and SRT.

Bottom: Screenshot of the award screen for the *unlinked condition*, presenting an exercise summary and placebo badge.

in the player being reset in place. This takes a few seconds, inducing a penalty on the time resource. Hence, the best play strategy would still be combining continuous forward movement with maximum feasible speedup, while employing
 310 dexterous jumping actions to avoid enemies and obstacles, or to scale obstacles as fast as possible. For the study detailed below, a tutorial level with a duration of roughly 2 minutes was designed, together with a gameplay level that takes 2 to 3 minutes to complete.

An exercise performance summary is presented to the players at the beginning of a round. In the *linked* case, the screen includes a notification on the
 315 amount of seconds of SRT and the level of the badge reward earned by the effort in the prior exercising session (cf. Figure 3, top). The screen for the *unlinked* condition only contains a summary of the exercise performance together with a plain badge (cf. Figure 3, bottom). After completing a level, a summary of the
 320 score is presented (time used and remaining health) together with scores from



Figure 4: Badges according to burnt kJ in the linked condition.

previous rounds (if applicable).

5.1. Linking Rewards to Exercise Performance

The exercise performance was calculated after each exercise session. A second pre-study with 20 participants in which we compared the impact of either
 325 (1) *a badge reward* or a (2) *game mechanical* (speed-up) reward following a within-subjects design had shown no clear significant differences between conditions with regard to game user experience or exercise performance. Therefore we adopted a combined game mechanical (low CD) and badge reward (larger CD) for the linked PACE condition in the main study, in order to establish a
 330 clear, permanently visible, and possibly motivating link between players exercise performances and the game. Pretests with the stationary bicycle had shown that very low intensity cycling for five minutes on average resulted in approx. 40kJ of energy expenditure, while high intensity cycling burned approx. 120kJ. Based on this data, we established a linear mapping between energy expenditure
 335 and reward. The badge reward for the linked group featured five levels (cf. Figure 4).

Reward Mechanic Adjustments. We originally chose an increased speed as the game mechanical reward, since it has a *low CD* to the endurance training activity of cycling. The player actions for the game were running (forwards and
 340 backwards), jumping, sticky-jumping up walls, and sliding. A speed boost was designed to affect all of these actions, making them more powerful in theory. The forty trials of the second pre-study mentioned above included this increasing maximum speed for the game character. The outcomes indicated that the

$$\begin{aligned}
x &:= \text{energyexpended}[kJ], f(x) := \text{SuperRunTime}[s] \\
f(x) &= \begin{cases} 5 & , \quad x \leq 40 \\ 5 + \left(\frac{x-40}{5.4}\right) & , \quad 40 < x < 175 \\ 30 & , \quad x \geq 175 \end{cases} \quad (1) \\
\text{Note : } 5.4 &= \frac{(175 - 40)}{(30 - 5)}
\end{aligned}$$

Figure 5: Equation for the amount of *super run time*.

theoretical advantage did not always lead to improved performance and subjectively reported enjoyment, possibly because increased speed requires increased dexterity and timing, if all obstacles are to be passed smoothly. Since the game reward should grant reliably positive experiences, we adjusted our choice to a player-controlled boost (or power-up) with a fuel/active-time resource which was then provided as a reward in an amount corresponding to the exercise performance. Thus, players were able to use the speed and invulnerability boost in places where it was helpful. To assure availability of this mechanic for at least a short while, we set the minimum available SRT to be five seconds. After balancing tests we determined the useful upper limit for the SRT resource to amount to 30 seconds. Tests with extreme intensity cycling had shown a top value of 175 kilojoules. Given these boundaries, the available SRT for each player was calculated as follows:

The midpoint of this linear mapping interval (17.5s) was used as the fixed amount of SRT for the unlinked condition so that differences in game experience and performance cannot be attributed to the mere presence or absence of SRT.

6. Study of the Impact of Linked Rewards

A comparative study was set up in order to determine whether the PACE with linked rewards can lead to measurably improved motivation and an increase in exercise performance in comparison to exercising and playing a game without a direct link. We hypothesize that (H1) *an explicit link between the prior activity*



Figure 6: Setup with exercise (left) and gaming (right) station.

and the gaming through adjusted in-game rewards can improve motivation and exercise performance. The system was set up for a fixed position in the design space for PACE that intends (based on prior experience, our pre-studies, and on related literature) to provide a high likelihood for motivation effects, namely: a close CD between exercise (cycling) and game reward (SRT + cycling-related badge), a close TD with a salient reminder (splash screen and permanently visible effects), a close SPD (an exercise bicycle in a separate lab section), and single player (to exclude the impact of social aspects), as well as using familiar platform elements. The study setup and methods were tested in two separate pilot runs with an expert and a convenient subject prior to settling on the exact procedure (with minor adjustments) as described in the following subsections.

6.1. Setup

Figure 6 illustrates the study setup. The stationary bicycle was located in a separate area of the room with no direct line of sight to the gaming station. The gaming setup consisted of a laptop with a 27" screen, speakers, a Microsoft XBOX360 gamepad and a separate survey laptop. Not pictured is a cool-down area where participants were seated for a cool-down period after each exercising session and watched a video of a fireplace on a laptop for controlled distraction.

6.2. Measures

A number of models exist for explaining motivational effects and impact on behavioral change. *Self-determination theory* [43] and *self-efficacy* [44, 45] have

been shown to be useful frameworks both in the context of exercise motivation and gameplay motivation. Our study thus builds on these constructs for the psychometric analysis.

A broad selection of measures was taken in order to facilitate a reliable triangulation of the expected effects. Next to the main endpoints related to exercise performance with measures of *heart rate* (bpm; measured with the HR belt), *energy burned* (kilojoules) and *distance traveled* (km; both measured by the ergometer), this included pre- and post-session measurements with psychometric instruments, a demographic questionnaire, a post-study interview, and game performance data. The demographic questionnaire included items on gaming and exercising habits, items about play style, and a short form of the *International Physical Activity Questionnaire* (IPAQ) [46]. A *Locus of Causality for Exercise* (LCE) questionnaire was administered before and after the intervention. Three custom items were included to capture the experience after each round of exercising (EX1: emph“Please rate how much effort you put into this exercise session.” [0–100 scale], EX2: “Please rate how well you think you did in this exercise session.” [0–100 scale], EX3: “I enjoyed this exercise session.” [strongly disagree (1) – strongly agree (7) Likert scale]). After each round of gaming, the participants responded to two custom game experience items (GE1: “I enjoyed this game session.”, GE2: “Playing the game motivates me to perform exercises.” [both 7pt Likert scales]), to an *Intrinsic Motivation Inventory* (IMI) [47] and to the autonomy and presence items of the *Player Experience of Needs Satisfaction* (PENS) [48] questionnaire. After the intervention, *self-efficacy* [45] was captured with a custom *sports self-efficacy* (SPSE) questionnaire (constructed following Bandura [49]; cf. Table 2). The data collection was augmented with an observation protocol to capture notable / irregular behavior, utterances, and technical difficulties that might occur.

6.3. Procedure

The study followed a between-group setup with sessions consisting of three identical trials to allow the participants to become accustomed with the rela-

SPSE	Statement to express agreement with (7pt. Likert scale):
Q1	<i>“Due to todays cycling, I will exercise more in next few days.”</i>
Q2	<i>“Due to today’s game play, I will exercise more in next few days.”</i>
Q3	<i>“I would exercise more, if my exercise effort would lead to achievements in my favorite games.”</i>
Q4	<i>“I would exercise more, if my exercise effort would give me a game play advantage in my favorite games.”</i>
Q5	<i>“If I do a good job in the game, I will exercise more in next few days.”</i>

Table 2: Questions relating to self-efficacy.

tionship between exercising and gameplay / rewards. After an informed consent
 procedure the participants played the tutorial level (showing all types of move-
 ments, obstacles, enemies, the SRT mechanic, and the scoring). Participants
 were given the chance to request further information, or a prolonged learning
 420 period. This was not made use of. Following the subsequent completion of the
 pre-study questionnaire, participants began the first trial. Each trial consisted
 of an exercise block, a rest period, and a gameplay block. Each exercise block
 included 5 minutes of cycling (1 min. warm-up, 3.5 min. full intensity, 30s
 cool down). Participants in the linked group were made aware that there would
 425 be a connection between their performance and the game and that *“the better
 [their] performance, the higher level of a reward [they’d] get”*. Participants in
 the unlinked group were instructed to start cycling like they were exercising to
 be sporty. Participants in both groups were aware that they would play a game
 after exercising. Each exercise block ended with a short questionnaire. In order
 430 to build up some temporal distance and to allow all subjects to focus on the
 gameplay sessions and to be able to control the game with adequate dexterity,
 a two minute rest period was inserted, separating the exercising and gameplay
 blocks. For the rest period the participants were asked to sit on a chair and
 watch a video clip of a fireplace to avoid uncontrolled distractions. Each game-
 435 play block consisted of one level with approximately 2–3 minutes of playtime.
 Durations were chosen as a compromise between a notable game experience
 and a reasonable total duration of the study of 60–70 minutes per participant.

Each gameplay block was closed by a questionnaire. The only differences between trials for the participants of the two treatment groups were the wording of the instructions prior to exercising and gameplay, the exercise performance summary screens, and the rewards in terms of badge level and amount of SRT. Upon completing all trials the subjects responded to a final questionnaire and participated an interview to gather potentially unanticipated reactions.

6.4. *Participants*

20 participants were recruited for the study without monetary compensation (10 female and 10 male univ. students; age 20-36; $M = 26.45$, $SD = 3.53$). They had diverse cultural backgrounds including European (13, including German, Swedish, Portuguese, Luxembourgish and Russian), Asian (6, including Chinese and Indian) and American (1, Chilean) roots. They came from a diverse range of fields including natural/social sciences, engineering, computer science, art, language, business and pharmacy. Participants were randomly assigned to the groups with equal gender splits.

6.5. *Results & Analysis*

In addition to descriptive statistics we report Welch Two Sample t-tests with prior Levene’s tests for the equality of variances and adjusted assumptions if needed for contrasts between the two treatment groups. We report largely on the t-tests, since the primary research interest was in contrasting the two groups. Trials within each condition group did not constitute different treatments so t-tests were performed on means of means from all trials. One-way repeated measures ANOVA for analyses of per-trial data were employed for confirmation together with non-parametric validations of the results (Mann-Whitney’s U tests instead of unpaired t-tests and Friedman tests for within-subjects factors instead of one-way RM ANOVA) in case our participants might not have perceived the Likert scales as interval, finding all reported between groups effects confirmed. Variances were winsorized (leveling outliers in the .2 quantiles to trim edge values) [50]. We also report Cohen’s d / η^2 effect size estimates.




Figure 7: Heart rate by group and for each trial. Error bars indicate standard error.

trial	group	Energy expenditure (kJ) mean (SD)	Distance (km) mean (SD)
1	linked	108.44 (21.03)	2.13 (0.31)
1	unlinked	95.82 (12.46)	1.91 (0.21)
2	linked	112.08 (15.04)	2.18 (0.21)
2	unlinked	99.44 (17.81)	1.99 (0.27)
3	linked	116.22 (6.87)	2.23 (0.1)
3	unlinked	98.76 (24.03)	1.96 (0.4)

Table 3: Kilojoules and distances for each group and trial.

Exercise Performance. The descriptive statistics show a notable difference in mean heart rate between the *linked* and the *unlinked* condition over all three trials (see Figure 7). A t-test contrasting the mean heart rate of both treatment groups marks those differences significant at the $\alpha = .05$ level ($t(18)=3.24$, $p=.005$, $d=1.53$, $r=.61$). The difference also appears to be increasing over the consecutive trials. Table 3 shows the remaining performance measures of *energy expenditure* and *distance*. While inferential statistics do not indicate statistical significance on both measures, the results can be interpreted as a trend and the descriptive statistics unequivocally show higher means for the linked condition.

Exercise & Game Experience. The *exercise experience* (EX) items on self-assessed exercise *effort*, *performance*, and *enjoyment* collected after each exercise block showed large variance and no significant differences between the treatment groups. The ratings on *effort* increased significantly (by ca. 10%) over time
 490 in both groups ($F(2,36)=4.96$, $p=.012$, $\eta^2=.22$), as did the self-assessed *performance* ($F(2,36)=4.92$, $p=.013$, $\eta^2=.22$). *Enjoyment* slightly increased over time and was overall positive (*linked*: $M=5.67$, $SD=.44$; *unlinked*: $M=5.2$, $SD=.78$).

The *game experience* item on *enjoyment* (GE1) did not show significant differences between the groups (*linked*: $M=5.82$, $SD=.26$; *unlinked*: $M=5.93$,
 495 $SD=.34$), but both means represent notably high scores on a 7 pt. Likert scale. There was a significant effect on the *motivation to perform exercises* (GE2) item (*linked*: $M=4.49$, $SD=.71$; *unlinked*: $M=3.16$, $SD=.82$; $t(18)=3.89$, $p=.001$, $d=1.83$, $r=.68$).

SDT Measures / Intrinsic Motivation. The IMI showed varying results on the
 490 four dimensions that were recorded (cf. Figure 8). There was a significant effect on *perceived competence* (Levene test sig., $t(15.41)=3.6$, $p=.003$, $d=1.7$, $r=.65$) between groups which is also visible in consistently increased competence measures over all trials under the *linked* condition as compared to the *unlinked* condition. There was another significant effect on the dimension of *tension/pressure*,
 495 this time with increased means under the *unlinked* condition (Levene test sig., $t(12.4)=-2.93$, $p=.012$, $d=-1.67$, $r=.64$). Both *effort/importance* and *interest/enjoyment* show high mean scores, but no sig. differences.

The PENS measures of *autonomy* (*linked*: $M=3.18$, $SD=1.19$; *unlinked*: $M=3.97$, $SD=.75$) and *presence* (*linked*: $M=3.61$, $SD=.68$; *unlinked*: $M=3.64$,
 500 $SD=.96$) showed no sig. differences.

Locus of Causality for Exercise. Contrasting the post-treatment minus pre-treatment differences of the LCE responses revealed a difference that can be interpreted as a trend (*linked*: $M=.18$, $SD=.53$; *unlinked*: $M=-.23$, $SD=.47$; Levenes test not sig.; $t(18)=1.85$, $p=.081$) with a positive development in the
 505 *linked* and a negative one in the *unlinked* group.




Figure 8: IMI measures relating to intrinsic motivation.

SPSE. The SPSE items on self-efficacy were analyzed separately since they were not designed to load a single construct. Participants appear to agree only slightly that they *will exercise more due to the cycling sessions* (*linked*: $M=4.06$, $SD=1.85$; *unlinked*: $M=4.06$, $SD=.93$) and there are differences in the extent to which they agree to the same statement with regard to the *gaming sessions* (*linked*: $M=3.4$, $SD=2.17$; *unlinked*: $M=2.4$, $SD=1.35$). Both items show large variances. The items Q3 (*linked*: $M=4.6$, $SD=2.07$; *unlinked*: $M=3.46$, $SD=1.4$) and Q4 (*linked*: $M=5$, $SD=2.21$; *unlinked*: $M=3.36$, $SD=1.4$), aiming at achievements or gameplay advantages as different motivators for increased exercise effort appear increased in the linked group. The participants do not appear to agree to Q5 (*linked*: $M=2.86$, $SD=1.04$; *unlinked*: $M=2.4$, $SD=1.51$). None of the items showed significant differences.

Contrasting *cycling* and *gaming* as factors for *increased exercising* yields a significant difference using a paired samples t-test (*cycling*: $M=4.06$, $SD=1.42$; *gaming*: $M=2.9$, $SD=1.83$; $t(19)=2.861$, $p=.01$). This difference appears to be stemming from the *unlinked* group, where the significant effect also exists ($t(9)=2.72$, $p=.024$) rather than the *linked* group, where there is no sig. difference (cf. Figure 9).




Figure 9: Means on influence of cycling and gaming on intended future exercising behavior. Error bars indicate standard error.

trial	group	Time (s) mean (SD)	Remaining HP mean (SD)
1	linked	122.58 (21.50)	683.26 (180.55)
1	unlinked	128.86 (29.73)	608 (206.79)
2	linked	107.04 (15.51)	862.4 (68.87)
2	unlinked	152.24 (47.96)	631.46 (267.29)
3	linked	105.86 (12.54)	838.84 (61.27)
3	unlinked	107.72 (17.45)	755.84 (149.19)

Table 4: Game time (lower is better) and remaining health points (higher is better) for each group and trial.

Game Performance. The game performance measures *time* and *remaining HP* both show significant learning effects over time (trial 1 to 3; using one-way RM ANOVA over both groups: *time*: $F(2,38)=4.71$, $p=.015$, $\eta^2=.2$; *remaining HP*: $F(2,38)=5.34$, $p=.009$, $\eta^2=.22$). T-tests show a sig. difference between groups with regard to overall mean *time* (Levene test sig., $t(14.93)=-2.44$, $p=.028$, $d=-1.26$, $r=.53$) and a trend with regard to *remaining HP* (Levene test sig., $t(13.18)=1.97$, $p=.071$, $d=1.08382$, $r=.48$).

Interviews. The interview contained four open-ended questions that were read out loud to each participant. Responding to the first item (*Do you like the idea: performing some exercises and then getting rewards according to your*

performance in the game later on?), nine participants from the linked group
535 stated that they liked the idea with reasons such as “just like to get reward”,
“its really motivating”, and “the better you exercised, the better you can beat the
enemies”. The only negative response was by a very sporty person, explaining
that “doing sport is for the real world, but not for the virtual world”. Seven
participants from the *unlinked* group explicitly stated that they had no idea
540 about the mapping between the exercises and the rewards. Only one said that
there might be a relationship (while there was none).

Six participants from the *linked* group agreed to the second interview ques-
tion (*Do you think you would do more exercises in the future if you would con-
tinue playing this game, or similar kinds of “asynchronous exergames” (perhaps
545 with a full commercial quality game)?*), whilst two disagreed with the explana-
tion that “instant feedback is better” and another two did not answer directly,
explaining that they do not play games regularly. In the *unlinked* group, six
participants disagreed and only two explicitly agreed.

The third item faced the participants with the condition of the other group
550 (*If the [linked: amount of boost you got was always the same, no matter how
much you had exercised] / [unlinked: amount of boost was varied in connection
to your former exercise performance], do you think that would have an impact
on your motivation to perform better on exercising?*). All participants from the
linked group agreed that there would be an impact reducing their motivation,
555 explaining: “I would lose motivation”, and “I would have no motivation and
would not do more”. Seven participants from the *unlinked* group agreed that
there would be an impact on their motivation and only two disagreed, stating
that they exercise for fun, not for a reward.

The last question addressed the issue of temporal distance (*Today we asked
560 you to exercise and you got to play a game almost immediately afterwards. If
you would exercise one day and then get to play a game on the day after, do
you think that getting to play that game would have an impact on your motiva-
tion to exercise?*). Eight participants from the *linked* group agreed, explaining
they would have “the same motivation” and would “be long term motivated”,

565 while two disagreed, noting that “*human beings need to get a feeling of success immediately after something is done*”. In the *unlinked* condition, eight participants disagreed while one acknowledged that “*it would have very little impact*” and one added the condition “*unless playing with others*”. Two agreed, saying that “*it would be more interesting*” and that they would be “*a little bit more*
570 *motivated*”.

7. Discussion

The results of our study indicate that there are differences in the *interaction experience*, *intrinsic motivation*, and *exercise performance* when using a PACE where rewarding game elements are *explicitly linked* to prior exercise performance as compared to a game where rewarding game elements are *not linked*
575 to prior exercise performance, delivering empirical evidence from a comparative laboratory study for a central assumption in the concept of PACE. While *heart rate* can be influenced by a number of factors, the significantly increased heart rate in the *linked* condition ties in well with the trends in the remaining performance measures, the increased perceived *IMI competence* and the trend in the
580 LCE. This observation is also supported by the GE2 item and statements in the interview, where more participants from the *linked* group favor the concept of PACE and believe that such games might increase their motivation to exercise in the future. We argue that the difference in HR even in the first trial run
585 (prior to playing the game) can likely be explained by the promise of rewards in the following game session.

The overall experience of exercising and gaming in our study appears to be positive with high *EX* and *GE* and *IMI* rankings, as well as *valence* responses and positive comments in the interviews. The majority of measures show descriptive results that appear favorable to the linked condition, the flipped results
590 in the *IMI tension-pressure* measure being an exception that may be related to the difficult role (arguably not a reliably linearly positive contribution [47]) of that construct as a factor of *intrinsic motivation*. The lack of effects on the

PENS dimensions of *autonomy* and *presence* are as expected, since they corre-
spond mostly to game design aspects beyond the extent of badges and boosts.
We believe that it is reasonable that the *competence* construct responds indi-
rectly to real world achievements and thus to the game mechanical link.

Due to the study setup we cannot clearly separate the contributions of *being
informed about a later reward* prior to the exercise session and of *receiving the
reward* in the gaming session to the measured effects. An analysis separating
trial one from trials two and three shows that both segments are significantly
different between groups, which suggests that being informed in advance plays
a considerable role, although a mixed contribution seems likely. A placebo
study could be performed to explore this issue and deliver insights regarding
the required accuracy of representing exercise effort in game rewards.

The SPSE items were only presented after the treatment and did not show
clear differences between groups. Contrasting cycling and gaming as motivating
factors resulted in a significant difference in the unlinked group. Here, cycling
was attributed a clearly larger role, while this difference is not present in the
linked group. This may be due to a perceptual change amongst the participants
in the linked group, which would implicitly confirm a comparatively larger role
of the linked PACE as a motivating factor for future exercises. Since we have
no SPSE data from between trials, we can only suggest this as a hypothesis for
future work.

Our summarized results support the hypothesis that PACE with linked re-
wards lead to an increase in exercise motivation and performance (H1). While
game rewards can be interpreted as extrinsic motivation in relation to prior exer-
cising, we still find some dimensions of intrinsic motivation measures increased.
We thus assume that the linked rewards can support the internalization of gam-
ing as a reward, conceivably through providing a more meaningful connection.
Alternatively it could be hypothesized that the task-goal orientation is increased
in the linked PACE session as the reward does not appear controlling. Either
way, no notable undermining of intrinsic motivation occurred. We also did not
find notable adverse effects of linking exercises that arguably lay outside the

625 classic concept of the magic circle [51] of a game to elements inside the game,
suggesting that its boundaries can encompass elements that are usually not
associated with a sedentary game-world.

7.1. Limitations and Future Work

The goal of the study was to isolate immediate effects of providing linked
630 versus unlinked rewards in a controlled lab environment. Future work should
further sample and explore the design dimensions. Future studies should con-
sider medium- and long-term behavior, both in the lab and also in the field
(including more realistically situated setups where players determine exercising
and play sessions on their own volition to validate the practical relevance of
635 our findings), test how large the temporal distance can grow, and include either
broader or more specific target groups, such as older adults (who may react
differently to the concept, given – for example – an assumed lower affinity to
fitness trackers). This could be of great importance as studies have shown that
the acceptance of longer gratification delay correlates with cognitive and so-
640 cial competence [38]. Therefore, we would expect deviating reactions by target
groups that do not respond well to gratification delay in general, or from target
groups that are not inclined to respond positively to video game rewards, e.g.,
people opposed to computer games in general. Finally, other types of wearable
devices and other types of exercises (e.g. not cardio-oriented), as well as the
645 influence of production quality (e.g. full budget or AAA games versus indie
level or academic games), need to be studied to gain a deeper understanding of
design options and consequences.

8. Conclusion

In our study, we have shown that there appears to be a difference between
650 the *interaction experience*, *intrinsic motivation*, and *exercise performance* when
using a pervasive accumulated context exergame where rewarding game elements
are explicitly *linked* to a prior exercise performance as compared to playing

the same game when rewarding game elements are unrelated to prior exercise performance. The results of this paper contribute to the current state of the field in several important ways. First, we motivated our research and connected the approach to movements such as quantified-self and the growing variety of fitness trackers. We argued that it is important to understand how games, exercising, fitness trackers and quantified-self are potentially interlinked and can build synergies. To further the understanding in this area and facilitate systematic research we discussed and extended related work, laying out modeling dimensions for PACE. We then built on this discussion and produced a specific setup with a PACE that is different from existing work, mostly due to its focus on an unambiguous mapping between exercise performance and in-game rewards, in order to start exploring the modeling dimensions. We presented results from a comparative study in which we found that perceived *competence*, *heart rate* and *willingness to perform exercises*, all measures that can be related to intrinsic motivation, were increased when game rewards were linked to a prior physical exercise session.

We found convincing indications for benefits of linking games to physical exercises in an asynchronous manner. This finding is of interest compared to related work that could not isolate such benefits when employing the concept of PACE [9]. The comparison of these games to our game design and its respective design space support the assumption that games with very clear and apparent linked reward mechanics might provide stronger positive effects on motivation (likely with interaction effects depending on the target group) than more complex games. However, further studies are required to investigate this assumption. Our findings are also interesting with respect to the growing commercial market for fitness trackers, since they indicate that fitness trackers and games could be linked in many different ways and that – in addition to regular exergames, or adding game-like rewards without deeper game mechanics – there might be further beneficial ways of linking games to physical activities. Notably, asynchronous reward links can likely connect quite arbitrary activities to a game of personal choice or to different games depending on individual or

producer preferences, instead of being limited to a specific exergame or gamifi-
cation approach for a specific activity tracker. Given an open standard protocol
for activity to reward links, a number of helpful pervasive accumulated context
serious games can be envisioned.

9. Acknowledgments

This project was partially supported by the *German Federal Ministry of Education and Research* (BMBF) through funding for the project *Adaptify*, as well
as by the *German Academic Exchange Service* (DAAD) through the *FITweltweit*
program. We thank Jenny Cramer for her invaluable support. We also thank
all participants.

References

- [1] N. Owen, P. B. Sparling, G. N. Healy, D. W. Dunstan, C. E. Matthews,
Sedentary behavior: Emerging evidence for a new health risk, *Mayo Clinic*
Proceedings 85 (12) (2010) 11381141. doi:10.4065/mcp.2010.0444.
- [2] T. Astorino, J. Baker, S. Brock, L. Dalleck, E. Goulet, R. Gotshall,
A. Hutchison, M. Knight-Maloney, L. Kravitz, J. Laskin, Vigorous energy
expenditure with a dance exer-game, *Journal of Exercise Physiologyonline*
14 (4).
URL http://faculty.css.edu/tboone2/asep/jeponline_august_2011_bronner.docx
- [3] S. Bronner, R. Pinski, J. Adam Noah, Physiological and psychophys-
iological responses in experienced players while playing different dance
exer-games, *Computers in Human Behavior* 51, Part A (2015) 3441.
doi:10.1016/j.chb.2015.04.047.
- [4] Y. Gao, R. L. Mandryk, The acute cognitive benefits of casual exergame
play.

- 710 [5] A. E. Staiano, S. L. Calvert, Exergames for physical education courses: Physical, social, and cognitive benefits, *Child Development Perspectives* 5 (2) (2011) 9398. doi:10.1111/j.1750-8606.2011.00162.x.
- [6] G. Alankus, R. Proffitt, C. Kelleher, J. Engsberg, Stroke therapy through motion-based games: A case study, *Therapy* (2010) 219226.
- 715 [7] J. D. Smeddinck, M. Herrlich, R. Malaka, Exergames for physiotherapy and rehabilitation: A medium-term situated study of motivational aspects and impact on functional reach, in: *Proceedings of CHI 2015*, ACM, 2015. doi:10.1145/2702123.2702598.
- [8] K. G. Stanley, I. J. Livingston, A. Bandurka, M. Hashemian, R. L. Mandryk, *Gemini: a pervasive accumulated context exergame*, Springer, 2011, p. 6576.
- 720 URL http://link.springer.com/chapter/10.1007/978-3-642-24500-8_8
- [9] K. Stanley, E. Farjana, E. Anderson, R. Mandryk, *Gemini redux: Understanding player perception of accumulated context*, in: *IEEE Games, Entertainment, and Media 2014*, 2014.
- 725 [10] K. G. Stanley, D. Pinelle, A. Bandurka, D. McDine, R. L. Mandryk, Integrating cumulative context into computer games, in: *Proceedings of the 2008 conference on future play: Research, play, share*, ACM, 2008, p. 248251.
- 730 URL <http://dl.acm.org/citation.cfm?id=1497036>
- [11] S. Deterding, D. Dixon, R. Khaled, L. Nacke, From game design elements to gamefulness: Defining gamification, in: *Proceedings of the 15th International Academic MindTrek Conference: Envisioning Future Media Environments*, MindTrek 11, ACM, 2011, p. 915. doi:10.1145/2181037.2181040.
- 735 URL <http://doi.acm.org/10.1145/2181037.2181040>

- [12] C. Preist, R. Jones, The use of games as extrinsic motivation in education, ACM Press, 2015, p. 37353738. doi:10.1145/2702123.2702282.
URL <http://dl.acm.org/citation.cfm?doid=2702123.2702282>
- 740 [13] K. Tanaka, J. R. Parker, G. Baradoy, D. Sheehan, J. R. Holash, L. Katz, A comparison of exergaming interfaces for use in rehabilitation programs and research 6 (9).
URL <http://journals.sfu.ca/loading/index.php/loading/article/view/107>
- 745 [14] A. Rizzo, B. Lange, E. Suma, M. Bolas, Virtual reality and interactive digital game technology: New tools to address obesity and diabetes, Journal of Diabetes Science and Technology 5.
URL <http://ict.usc.edu/pubs/Virtual%20Reality%20and%20Interactive%20Digital%20Game%20Technology-%20New%20Tools%20to%20Address%20Obesity%20and%20Diabetes.pdf>
- 750 [15] K. M. Gerling, I. J. Livingston, L. E. Nacke, R. L. Mandryk, Full-body motion-based game interaction for older adults, in: CHI12: Proceedings of the 30th international conference on Human factors in computing systems, 2012.
- 755 [16] H. A. Hernandez, T. C. Graham, D. Fehlings, L. Switzer, Z. Ye, Q. Bellay, M. A. Hamza, C. Savery, T. Stach, Design of an exergaming station for children with cerebral palsy, in: Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems, 2012, p. 26192628.
URL <http://dl.acm.org/citation.cfm?id=2208652>
- 760 [17] J. Smeddinck, S. Siegel, M. Herrlich, Adaptive difficulty in exergames for parkinsons disease patients, in: Proceedings of Graphics Interface 2013, 2013.
- 765 [18] C. J. Ferguson, C. K. Olson, Video game violence use among vulnerable populations: The impact of violent games on delinquency and bullying among children with clinically elevated depression or attention

deficit symptoms, *Journal of Youth and Adolescence* 110doi:10.1007/s10964-013-9986-5.

- [19] H. Oinas-Kukkonen, M. Harjumaa, Persuasive systems design: Key issues, process model, and system features, *Communications of the Association for Information Systems* 24 (1) (2009) 28.
- [20] K. M. Gerling, M. Miller, R. L. Mandryk, M. Birk, J. Smeddinck, Effects of balancing for physical abilities on player performance, experience and self-esteem in exergames, in: *CHI14: Proceedings of the 2014 CHI Conference on Human Factors in Computing Systems*, 2014.
- URL <https://hci.usask.ca/uploads/331-paper122.pdf>
- [21] F. Mueller, F. Vetere, M. Gibbs, D. Edge, S. Agamanolis, J. Sheridan, J. Heer, Balancing exertion experiences, in: *Proceedings of the 2012 ACM annual conference on Human Factors in Computing Systems*, 2012, p. 18531862.
- URL <http://dl.acm.org/citation.cfm?id=2208322>
- [22] J. Yim, T. C. N. Graham, Using games to increase exercise motivation, in: *Proceedings of the 2007 conference on Future Play, Future Play 07*, ACM, 2007, p. 166173. doi:10.1145/1328202.1328232.
- URL <http://doi.acm.org/10.1145/1328202.1328232>
- [23] F. Guo, Y. Li, M. S. Kankanhalli, M. S. Brown, An evaluation of wearable activity monitoring devices, in: *Proceedings of the 1st ACM International Workshop on Personal Data Meets Distributed Multimedia*, PDM 13, ACM, 2013, p. 3134. doi:10.1145/2509352.2512882.
- URL <http://doi.acm.org/10.1145/2509352.2512882>
- [24] M. Swan, Sensor mania! the internet of things, wearable computing, objective metrics, and the quantified self 2.0, *Journal of Sensor and Actuator Networks* 1 (3) (2012) 217253. doi:10.3390/jsan1030217.

- [25] J. Rooksby, M. Rost, A. Morrison, M. C. Chalmers, Personal tracking as lived informatics, in: Proceedings of the 32Nd Annual ACM Conference on Human Factors in Computing Systems, CHI 14, ACM, 2014, p. 11631172. doi:10.1145/2556288.2557039. URL <http://doi.acm.org/10.1145/2556288.2557039>
- [26] F. Buttussi, L. Chittaro, Mopet: A context-aware and user-adaptive wearable system for fitness training, Artificial Intelligence in Medicine 42 (2) (2008) 153163. doi:10.1016/j.artmed.2007.11.004.
- [27] J. J. Annesi, Effects of computer feedback on adherence to exercise, Perceptual and Motor Skills 87 (2) (1998) 723730. doi:10.2466/pms.1998.87.2.723.
- [28] V. Rivera-Pelayo, V. Zacharias, L. Müller, S. Braun, Applying quantified self approaches to support reflective learning, in: Proceedings of the 2Nd International Conference on Learning Analytics and Knowledge, LAK 12, ACM, 2012, p. 111114. doi:10.1145/2330601.2330631. URL <http://doi.acm.org/10.1145/2330601.2330631>
- [29] C. G. Wylie, P. Coulton, Persuasive Mobile Health Applications, Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering, Springer Berlin Heidelberg, 2009, p. 9097. URL http://link.springer.com/chapter/10.1007/978-3-642-00413-1_11
- [30] M. Swan, Emerging patient-driven health care models: An examination of health social networks, consumer personalized medicine and quantified self-tracking, International Journal of Environmental Research and Public Health 6 (2) (2009) 492525. doi:10.3390/ijerph6020492.
- [31] M. M. Hassan, M. S. Hossain, A. Alamri, M. A. Hossain, M. Al-Qurishi, Y. Aldukhayil, D. T. Ahmed, A cloud-based serious games framework for

- obesity, in: Proceedings of the 1st ACM Multimedia International Workshop on Cloud-based Multimedia Applications and Services for e-Health, CMBAS-EH 12, ACM, 2012, p. 1520. doi:10.1145/2390906.2390912.
URL <http://doi.acm.org/10.1145/2390906.2390912>
- 825 [32] K. D. S. Pickford, C. Austin, T. Walker, T. Barnes, World of workout: Towards pervasive, intrinsically motivated, mobile exergaming.
URL http://www.game2learn.com/wp-content/uploads/2011/03/mp2010_paper_56.pdf
- 830 [33] L. Görgü, A. G. Campbell, K. McCusker, M. Dragone, M. J. O’Grady, N. E. O’Connor, G. M. P. O’Hare, Freegaming: Mobile, collaborative, adaptive and augmented exergaming, Mobile Information Systems 8 (4) (2012) 287301. doi:10.3233/MIS-2012-00147.
- 835 [34] S. Consolvo, D. W. McDonald, T. Toscos, M. Y. Chen, J. Froehlich, B. Harrison, P. Klasnja, A. LaMarca, L. LeGrand, R. Libby, et al., Activity sensing in the wild: a field trial of ubifit garden, in: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, ACM, 2008, p. 17971806.
URL <http://dl.acm.org/citation.cfm?id=1357335>
- 840 [35] Y. Fujiki, K. Kazakos, C. Puri, P. Buddharaju, I. Pavlidis, J. Levine, Neat-o-games: blending physical activity and fun in the daily routine, Computers in Entertainment (CIE) 6 (2) (2008) 21.
- [36] R. M. Ryan, E. L. Deci, Intrinsic and extrinsic motivations: Classic definitions and new directions, Contemporary Educational Psychology 25 (1) (2000) 5467. doi:10.1006/ceps.1999.1020.
- 845 [37] T. Park, I. Hwang, U. Lee, S. I. Lee, C. Yoo, Y. Lee, H. Jang, S. P. Choe, S. Park, J. Song, Exerlink: enabling pervasive social exergames with heterogeneous exercise devices, in: Proceedings of the 10th international conference on Mobile systems, applications, and services, ACM, 2012, p.

1528.

URL <http://dl.acm.org/citation.cfm?id=2307639>

- [38] W. Mischel, Y. Shoda, M. I. Rodriguez, Delay of gratification in children, *Science* 244 (4907) (1989) 933938. doi:10.1126/science.2658056.
- [39] A. R. Hariri, S. M. Brown, D. E. Williamson, J. D. Flory, H. d. Wit, S. B. Manuck, Preference for immediate over delayed rewards is associated with magnitude of ventral striatal activity, *The Journal of Neuroscience* 26 (51) (2006) 1321313217. doi:10.1523/JNEUROSCI.3446-06.2006.
- [40] D. D. Hitt, R. G. Marriott, J. K. Esser, Effects of delayed rewards and task interest on intrinsic motivation, *Basic and Applied Social Psychology* 13 (4) (1992) 405414. doi:10.1207/s15324834basp1304_2.
- [41] H. Geraedts, A. Zijlstra, S. K. Bulstra, M. Stevens, W. Zijlstra, Effects of remote feedback in home-based physical activity interventions for older adults: A systematic review, *Patient Education and Counseling* 91 (1) (2013) 1424. doi:10.1016/j.pec.2012.10.018.
- [42] J. R. Whitson, Gaming the quantified self, *Surveillance & Society* 11 (1/2) (2013) 163176.
- [43] S. Rigby, R. Ryan, *Glued to Games: How Video Games Draw Us In and Hold Us Spellbound*, Praeger, 2011.
- [44] D. Grembowski, D. Patrick, P. Diehr, M. Durham, S. Beresford, E. Kay, J. Hecht, Self-efficacy and health behavior among older adults, *Journal of Health and Social Behavior* 34 (2) (1993) 89104, articleType: research-article / Full publication date: Jun., 1993 / Copyright 1993 American Sociological Association. doi:10.2307/2137237.
- [45] E. McAuley, S. Wraith, T. E. Duncan, Self-efficacy, perceptions of success, and intrinsic motivation for exercise1, *Journal of Applied Social Psychology* 21 (2) (1991) 139155. doi:10.1111/j.1559-1816.1991.tb00493.x.

- [46] C. L. Craig, A. L. Marshall, M. Sjostrom, A. E. Bauman, M. L. Booth, B. E. Ainsworth, M. Pratt, U. Ekelund, A. Yngve, J. F. Sallis, et al., International physical activity questionnaire: 12-country reliability and validity, *Medicine & Science in Sports & Exercise* 35 (8) (2003) 13811395. doi:10.1249/01.MSS.0000078924.61453.FB.
- [47] E. McAuley, T. Duncan, V. V. Tammen, Psychometric properties of the intrinsic motivation inventory in a competitive sport setting: a confirmatory factor analysis, *Research quarterly for exercise and sport* 60 (1) (1989) 4858.
- [48] S. Rigby, R. Ryan, The Player Experience of Need Satisfaction(PENS): an applied model and methodology for understanding key components of the player experience, 2007.
- [49] A. Bandura, Guide for constructing self-efficacy scales, *Self-efficacy beliefs of adolescents* 5 (2006) 307337.
- [50] D. M. Erceg-Hurn, V. M. Mirosevich, Modern robust statistical methods: An easy way to maximize the accuracy and power of your research., *American Psychologist* 63 (7) (2008) 591601. doi:10.1037/0003-066X.63.7.591.
- [51] J. Huizinga, *Homo ludens: proeve eener bepaling van het spel-element der cultuur*, Amsterdam University Press, 2008.